NASA/TM-2001-210217



Polymer Energy Rechargeable System (PERS) Development Program

Richard S. Baldwin, Michelle A. Manzo, and Penni J. Dalton Glenn Research Center, Cleveland, Ohio

Richard A. Marsh Wright-Patterson Air Force Base, Dayton, Ohio

Rao Surampudi Jet Propulsion Laboratory, Pasadena, California

Prepared for the 39th Power Sources Conference cosponsored by the U.S. Army Power Sources Center of Excellence, and U.S. Army CECOM Cherry Hill, New Jersey, June 12–15, 2000

National Aeronautics and Space Administration

Glenn Research Center

Available from

NASA Center for Aerospace Information 7121 Standard Drive Hanover, MD 21076

National Technical Information Service 5285 Port Royal Road Springfield, VA 22100

Polymer Energy Rechargeable System (PERS) Development Program

Richard S. Baldwin, Michelle A. Manzo and Penni J. Dalton National Aeronautics and Space Administration Glenn Research Center Cleveland, Ohio 44135

Richard A. Marsh
Air Force Research Laboratory
Wright-Patterson Air Force Base, Ohio 45433

Rao Surampudi
Jet Propulsion Laboratory
Pasadena, California 91109

Abstract

The National Aeronautics and Space Administration (NASA) and the Air Force Research Laboratory (AFRL) have recently established a collaborative effort to support the development of polymer-based, lithiumchemistries based cell and battery technologies to address the next generation of aerospace applications and mission needs. The overall objective of this development program, which is referred to as PERS. Polymer Energy Rechargeable System, is to establish a world-class technology capability and U.S. leadership in polymer-based battery aerospace applications. technology for Programmatically, the PERS initiative will exploit both interagency collaborations to address common technology and engineering issues and the active participation of academia and private industry. The initial program phases will focus on R&D activities to address the critical technical issues and challenges at the cell level.

Background

Rechargeable lithium-based battery technologies offer significant performance advantages and cost benefits for a variety of future aerospace, as well as terrestrial

missions. Major projected advantages over conventional battery technologies include reduced mass and volume of the energy storage system, enhanced system reliability and flexibility and lower power system life-cycle costs. NASA is considering the utilization of lithium-based batteries in many future aerospace applications such as planetary landers, planetary rovers, planetary orbiters, Earth-orbiting spacecraft for both geosynchronous (GEO) and low-Earth-orbit (LEO) missions, reusable launch vehicles (RLVs) and astronaut equipment. In addition, the feasibility of replacing the hydraulic Auxiliary Propulsion Unit (APU) of the existing Space Transportation System with an electrically controlled system that will utilize lithium-based batteries is being assessed. The U.S. Air Force also envisions the use of various lithium-based batteries in applications, such as unmanned aerial vehicles, military aircraft and Earth-orbiting spacecraft. Other governmental agencies, including the Department of Energy (DOE) and the Department of Defense (DoD), also envision the future use of lithium-based battery technologies to enhance or to enable their specific mission needs.

Cell and battery requirements for future NASA and Air Force missions span a wide range and are determined by specific mission

needs, as shown in Table 1. For example, LEO spacecraft and planetary orbiters require batteries that can provide greater than 30,000 cycles at up to 30-40% depth-of-discharge (DOD). GEO applications will require a long calendar life in excess of twenty years. Planetary missions such as rovers and landers require batteries that are capable of operating at low temperatures following the long stand time associated with travel to reach the planet. Some aircraft and RLV applications require high voltage and high capacity batteries with the capability of performing over a very wide temperature range. Commercially available lithium-based cells fail to meet many of the aerospace mission requirements, and the safety of high capacity cells and batteries is also a serious concern for aerospace applications. State-ofthe-art lithium-ion cells need significant performance improvements in several areas in order to address aerospace mission needs.

In order to address the advancement of the state-of-the-art of lithium-ion cells batteries to meet NASA and Air Force mission needs, a collaborative DoD/NASA program effort has been ongoing since 1997. The program utilizes a technical approach focusing on cell design optimization and the development of advanced electrode materials and liquid electrolytes to achieve improved low-temperature performance and cycle life. The program objectives include (1) the development of high performance lithium-ion cells and batteries along with (2) the development of control electronics for "smart" battery management, (3) the establishment of production sources and (4) the demonstration of technology readiness for various mission applications. This program established, and results obtained thus far indicate that significant lithium-ion performance improvements are being realized.

To address the electrochemical energy storage needs for the next generation of aerospace applications, advanced lithium-based cell chemistries that are coupled with solid-state and/or polymer-based component

concepts are envisioned to be mission-enhancing and mission-enabling technologies. For such future applications, the energy storage subsystem must have minimal mass, while meeting the power requirements of the spacecraft or of the mission-specific device. The current view is that no single cell chemistry will optimally meet all aerospace mission needs. The successful development of such advance technologies will also have significant impact on commercial and terrestrial applications.

PERS Program Overview

Recently, NASA and the AFRL have expanded collaborative efforts to support the development of polymer-based, lithium-based cell chemistries and battery technologies in order to address future aerospace mission The overall objective of this needs. development program, which is referred to as Polymer Energy Rechargeable System, is to establish а world-class technology capability and a U.S.-based manufacturing resource that will ensure U.S. leadership in polymer-based technology for aerospace applications. Once developed, this technology is envisioned to be superior to other conventional battery technologies.

Advanced lithium-based cell chemistries coupled with polymer-based component concepts offer numerous advantages over battery systems employing liquid electrolyte. An all-solid cell design, which contains no free liquid, offers inherent safety e.g., no internal pressure advantages, buildup, and affords a reduction in system complexity. As the same high unit cell voltages that are exhibited by lithium-based liquid electrolyte cells are achievable, higher specific energies and energy densities. coupled with lower self-discharge rates, are projected improvements for electrolyte cell concepts. A flexible shape factor in cell design will enable integration of the energy storage system with structural or other subsystem entities. Also.

exploitation of polymer film-based manufacturing technologies is projected to result in significant production cost reductions.

The PERS program will address both nearterm and far-term R&D issues and technical challenges that are critical for successful development of the polymer-based battery technology. The initial phases of the program will focus on the development of the critical components in order to achieve necessary levels of performance. includes the development of solid polymer electrolytes, the development of anode and cathode materials that are compatible with the electrolyte and the achievement of electrode/electrolyte interfacial The programmatic approach to properties. be taken for this critical component development is to support as many novel R&D concepts and technical approaches as Some examples of far-term issues and needs are component/cell scaleup, cell/battery designs to address specific complex charge applications, requirements, subsystem integration issues, thin-film fabrication technologies and the establishment of appropriate manufacturing processes.

The primary near-term PERS program focus is to support the development of a solid polymer electrolyte(s) that exhibits the performance necessary for technical achieving a viable cell/battery. electrolyte performance requirements include (1) an ionic conductivity of ~10⁻³ S/cm or higher in the desired operational temperature range (e.g., -40°C to +65°C), (2) a lithium-ion transport number approaching unity, (3) low impedance. (4) chemical interfacial compatibility with electrode materials, (5) a large window of electrochemical stability, (6) conductivity, electronic (7) low dimensional and thermal stability and (8) mechanical properties that allow scale-up of Electrolyte the manufacturing process. chemistries concepts under and consideration include (1) polymer electrolytes "solvent-free" binary based on

complexes, (2) cation-conducting polyelectrolytes, (3) polymer-ceramic composites, (4) inorganic-organic hybrids and (5) hybrid/gelled systems.

Envisioned as a multi-year effort with initial programmatic emphasis on the development of critical cell components and technologies. the PERS program is structured as a cooperative national collaborative and interagency technology development This approach will not only initiative. government-sponsored leverage existing related R&D programs, but it will ensure the effective utilization of government funding, skills and resources to address technology and engineering issues of mutual interest. In February 2000, an Interagency PERS Program Working Group meeting was held to collaborative the in creating aid intragovernmental relationships that are currently being defined and pursued. forum was invaluable in assessing current R&D programs, identifying key technical issues, and discussing areas of mutual interest for collaboration.

As previously mentioned, the initial phases of the PERS program will focus on addressing the key technology issues and challenges that exist at the cell and component level. In exploiting interagency addition to collaborations, this will be accomplished programmatically by the effective (1) utilization of internal NASA and AFRL expertise facilities. resources and electrochemistry, battery technology, polymer chemistry and materials science and (2) the collaborative and interactive involvement of both academia and private industry. Several research investigations fundamental support of the PERS program objectives are in progress, and, recently, a major solicitation seeking new R&D opportunities to pursue has been publicly announced.

The active involvement of the academic and business communities in the PERS program fundamental R&D activities is presently being addressed via the mechanism of a NASA Research Announcement (NRA). This

solicitation for research proposals for open competition focuses on the development of the polymer electrolyte and other cell components of interest to meet envisioned cell-level performance requirements. All polymer-based cell chemistries and concepts are being considered, and successful offerors will be expected to be able to substantiate incremental progress in demonstrating technical feasibility by meeting short-term milestones within their PERS-supported programs.

Several NASA-funded, short-term fundamental research investigations that support the PERS program R&D objectives have been initiated within the past several years. The focus of these investigations is to evaluate a diversity of solid polymer electrolyte chemistries and conceptual

approaches and to perform a preliminary assessment of the "practical" technical feasibility of utilizing these exploratory materials for "liquid-free" lithium-ion transport in lithium-based rechargeable cells. The results of these investigations will be made available in the open literature, as appropriate.

Although still in its infancy, the NASA/Air Force PERS program is committed to the achievement of the future realization of a world-class technology capability and U.S. leadership in polymer-based battery technology. This realization will address NASA and DoD far-term mission needs, as well as supporting the advancement of energy storage technologies for existing aerospace applications.

Parameter	NASA Rovers	NASA Landers	AF Aircraft (A)	AF Aircraft (B)	AF GEO	NASA GEO	AF UAVs	AF LEO	NASA LEO/Plan Orbiter
Nominal Voltage	14	28	270	28	100	28	100	28	28
BOL/EOL Capacity (AH)	7	20	20	20	50	20	200	50	20
Temp Range (°C)	-30 to +45	-20 to +45	-40 to +65	-40 to +65	-5 to +30	-5 to +30	-40 to + 65	-5 to +30	-5 to +30
Life (Cycles)	>500	>500	1,000	1,000	1,500	1,000	1,000	30,000	>30,000
Discharge Rate	C/5 to 1C	C/5 to 1C	С	С	2C/3	2C/3	С	С	С
Charge Rate	C/5 to C/2	C/5 to C/2	С	С	C/20	C/20	С	C/2	C/2
DOD (%)	50	50	50	50	75 (max)	75 (max)	50	25	30 - 40

Table 1. Cell and battery requirements for NASA and Air Force aerospace missions.

•		
	·	
-		

REPORT DOCUMENTATION PAGE

Form Approved
OMB No. 0704-0188

Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 2053.

1. AGENCY USE ONLY (Leave blank)	2. REPORT DATE	3. REPORT TYPE AND DATES COVERED
	May 2001	Technical Memorandum
4. TITLE AND SUBTITLE		5. FUNDING NUMBERS
Polymer Energy Rechargeable	System (PERS) Developm	ent Program
6. AUTHOR(S)	WU-755-20-00-00	
Richard S. Baldwin, Michelle A Rao Surampudi	. Manzo, Penni J. Dalton,	Richard A. Marsh,
7. PERFORMING ORGANIZATION NAME	(S) AND ADDRESS(ES)	8. PERFORMING ORGANIZATION
National Aeronautics and Space		REPORT NUMBER
John H. Glenn Research Center Cleveland, Ohio 44135–3191	at Lewis Field	E-12336
9. SPONSORING/MONITORING AGENCY	NAME(S) AND ADDRESS(ES)	10. SPONSORING/MONITORING AGENCY REPORT NUMBER
National Aeronautics and Space Washington, DC 20546-0001	Administration	NASA TM—2001-210217
and U.S. Army CECOM, Cherry Penni J. Dalton, NASA Glenn R	y Hill, New Jersey, June 12 Research Center; Richard A 5433; and Rao Surampudi,	pred by the U.S. Army Power Sources Center of Excellence, 2–15, 2000. Richard S. Baldwin, Michelle A. Manzo, and Marsh, Air Force Research Laboratory, Wright-Patterson Jet Propulsion Laboratory, Pasadena, California 91109.
2a. DISTRIBUTION/AVAILABILITY STAT		12b. DISTRIBUTION CODE
Unclassified - Unlimited		
Subject Categories: 20, 27 and 0	Distri [†]	bution: Nonstandard
Available electronically at http://gltrs.		
This publication is available from the	NASA Center for AeroSpace Ir	Iformation, 301–621–0390.
recently established a collaborate and battery technologies to address objective of this development pre establish a world-class technolog applications. Programmatically,	ive effort to support the development to support the next generation of a ogram, which is referred to gy capability and U.S. lead the PERS initiative will expense.	A) and the Air Force Research Laboratory (AFRL) have velopment of polymer-based, lithium-based cell chemistries aerospace applications and mission needs. The overall as PERS, Polymer Energy Rechargeable System, is to ership in polymer-based battery technology for aerospace ploit both interagency collaborations to address common ion of academia and private industry. The initial program

14. SUBJECT TERMS			15. NUMBER OF PAGES
Space power; Electrochem	10 16. PRICE CODE		
17. SECURITY CLASSIFICATION OF REPORT	18. SECURITY CLASSIFICATION OF THIS PAGE	19. SECURITY CLASSIFICATION OF ABSTRACT	20. LIMITATION OF ABSTRACT
Unclassified	Unclassified	Unclassified	